SAHUNG



DE VILLE

Hangzhou shanghong electronic technology Co.,ltd

Building 10, No. 202 Zhenzhong Road, Xihu District, Hangzhou City, Zhejiang Province

Website

Alibaba

Made in china

Product Introduction

- 60W/100W/150W/200W/240W
- ADC12 all aluminum die-casting shell is adopted, which is formed by integrated die-casting.
- compatible with various installation methods such as hanging chain and suspender.
- IP65/IK08。
- Optical PC lens design: 60 °/90 °/120 °, meeting the requirements of workshops, warehouses, high sheds, industrial lighting, etc.
- Simple design style, circular design, no dust accumulation, dust accumulation worry
- Warranty: 3-5years

Applicable:

Warehouses,workshops, industrial lighting and other places.

LED HIGH BAY LIGHT

DE VILLE

Model	DE VILLE-60W	DE VILLE-100W	DE VILLE-150W	DE VILLE-200W	DE VILLE-240W
Rated Power	60W	100W	150W	200W	240W
Input Voltage（V）	100~277Vac				
Work Frequency	50/60Hz				
Input Current（A）	0.5A@ 120Vac, 0.27A@230Vac	0.85A@ 120Vac, 0.45A@230Vac	1.25A@ 120Vac, 0.7A@230Vac	1.7A@ 120Vac, 0.9A@230Vac	2A@ 120Vac, 1.05A@230Vac
Power Factor	PF>0.95				
LED Driver	Philips /SOSEN/MOSO/LIFUD/DONE/SAHUNG				
Surge Resistance	L-N 4KV, L/N-PE 6KV				
Total Harmonic	≤15%				
LED Chips	CREE /OSRAM /LUMILEDS-SMD				
Beam Angle	60°/90°/120°				
Color Temperature	2700K-6500K				
CRI	⩾70Ra⩾80Ra				
Condition Temp	-25°-50°				
IK	IK08				
IP	IP65				
Luminous Efficiency	140LM/-170Lm/W				
N.W/G.W (KG)	2.05/2.75	2.05/2.75	3.4/4	4.85/5.4	4.9/5.45
Packing Size	33*33*18	33*33*18	39*39*18.5	44.5*44.5*18.5	44.5*44.5*18.5

1. This product must be installed by a qualified person.
2. The external flexible cable or cord of this luminaire cannot be replaced; if the cord isdamaged, the luminaire shall be destroyed.
3.For models Deville series, the light source contained in this luminaire is non-user replaceable, it shall be replaced by our service agent or a qualified person only.

4.  Caution, risk of electric shock.
When open the luminaire to replace the LED module, please ensurethe power have been cut off.
5. This product is class I luminaire, please ensure the earthing wire isconnected tothe terminal reliably.
6. This product is classified to IP65, which means ‘dust tight’ and ‘jetproof’. It issuitable for outdoor use.
7. Don’t touch the luminaire until it has been cool down.

8.  Meaning of crossed out wheeled dustbin: Do not dispose of electricalappliances as unsorted municipal waste, use separate collection facilities contactyour local government for information regarding the collection systems available. Ifelectrical appliances are disposed of in landfills or dumps, hazardous substancescan leak into the ground and water then get into the food chain, damaging yourhealth and well-being.

Product size



60W



100W



150W

