SAHUNG



GKD

Hangzhou shanghong electronic technology Co.,ltd

Room 504, Building 10, No. 202 Zhenzhong Road, Xihu District, Hangzhou City, Zhejiang Province

Website

Alibaba

Made in china

Product Introduction

- 100W/150W/200W/240W
- Adopting precision ADC12 aluminum shell and powder spraying process, it is corrosion-resistant and does not change color.
- Compatible with various installation methods such as suspension chains and suspension rods.
- IP65/IK08。
- Optical PC lens design: 60 °/90 °/120 °, suitable for factory buildings, warehouses, high ceilings, industrial lighting, etc.
- Hollow honeycomb heat dissipation design, no dust accumulation, dust accumulation troubles.
- Warranty: 3-5 years.

Applicable:
Warehouse,factory building, industrial lighting and other places.

LED HIGH BAY LIGHT

GKD

Model	GKD-100W	GKD-150W	GKD-200W	GKD-240W
Rated Power	100W	150W	200W	240W
Input Voltage (V)	100~277Vac			
Work Frequency	50/60Hz			
Input Current (A)	0.85A@ 120Vac, 0.45A@230Vac	1.25A@ 120Vac, 0.7A@230Vac	1.7A@ 120Vac, 0.9A@230Vac	2A@ 120Vac, 1.05A@230Vac
Power Factor	PF>0.95			
LED Driver	MOSO/SAHUNG			
Surge Resistance	L-N 4KV, L/N-PE 6KV			
Total Harmonic	≤15%			
LED Chips	CREE /OSRAM /LUMILEDS-SMD			
Beam Angle	60°/90°/120°			
Color Temperature	2700K-6500K			
CRI	⩾70Ra⩾80Ra			
Condition Temp	-25°-50°			
IK	IK08			
IP	IP65			
Luminous Efficiency	140LM/W			
N.W/G.W (KG)	2.4/2.8	2.9/3.6	4.2/5	4.2/5
Packing Size	35.5*35*16.5	41.5*41*17.5	47.5*47*19.5	47.5*47*19.5

1. This product must be installed by a qualified person.
2. The external flexible cable or cord of this luminaire cannot be replaced; if the cord isdamaged, the luminaire shall be destroyed.
3.For models GKD series, the light source contained in this luminaireis non-user replaceable, it shall be replaced by our service agent or a qualified person only.

4.  Caution, risk of electric shock.
When open the luminaire to replace the LED module, please ensurethe power have been cut off.
5. This product is class I luminaire, please ensure the earthing wire isconnected tothe terminal reliably.
6. This product is classified to IP65, which means ‘dust tight’ and ‘jetproof’. It issuitable for outdoor use.
7. Don’t touch the luminaire until it has been cool down.

8.  Meaning of crossed out wheeled dustbin: Do not dispose ofelectricalappliances as unsorted municipal waste, use separate collection facilities contactyour local government for information regarding the collection systems available. Ifelectrical appliances aredisposed of in landfills or dumps, hazardous substancescan leak intothe ground and water then get into the food chain, damaging yourhealth and well-being.

LED HIGH BAY LIGHT

GKD

Product size



100W



150W



200W



240W